

CORE

S Y S T E M

The CORE is a track in its own right, crafted from a proprietary polymer engineered to match the electrical and mechanical performance of a standard track.

Used bare or enhanced with decorative films, and integrated into a range of cover solutions, the CORE adapts seamlessly to different aesthetics and installation needs.

CORE5 and CORE11: two systems with distinct specifications, united by one visionary idea.




CORE 11 SYSTEM

OVERVIEW

CORE11 is the latest A.A.G. Stucchi system developed on the CORE concept.

The CORE has the same shape and size as the micro ST1 track, ensuring compatibility with the connections and fixing accessories of this system without the need to stock additional components.



1 circuit + databus
SELV (10A/60V + 1A/60V)
CLASS 2
(2A-48Vdc / 4A-24Vdc)




LIGHT INSIDE CORE11

OVERVIEW

All the light suitable for use in the CORE11 system for technical, aesthetic, or usage compatibility.

This includes linear light modules designed for both MICRO system and those designed for the EVO system made compatible through the use of the CROSSOVER adapter but also accent light of the CLIC range in spot, downlight and pendant versions.



SENZAFINE

LINEAR LIGHT

M14

HIGH EFFICIENCY



OPTICS:

Opal / Lens / Wall washer

CCT:

2700K / 3000K / 4000K

CRI:

≥90

Colours:

Black embossed / White embossed

M22D

LIGHT MADE INVISIBLE



OPTICS:

Round lens / Square lens

CCT:

2700K / 3000K / 4000K

CRI:

≥90

Colours:

Black embossed / White embossed


M11

ALL INSIDE THE TRACK



M22

THE ENDLESS LIGHTLINE INSIDE TRACKS



M22A

ADJUST YOUR LIGHT



OPTICS:

Opal / UGR / Lens

CCT:

2700K / 3000K

CRI:

≥90

Colours:

Black

OPTICS:

Opal / Microprismatic / UGR / Lens / Wall washer / Fumé

CCT:

2700K / 3000K / 4000K

CRI:

≥90 / ≥95

Colours:

Black embossed / White embossed

OPTICS:

Opal / Microprismatic / UGR / Lens / Fumé

CCT:

2700K / 3000K / 4000K

CRI:

≥90 / ≥95

Colours:

Black embossed / White embossed



HOME OFFICE

- Trimless track: Core11+ M5 trimless cover
- Senzafine M22 opal
 - Senzafine M22 wall washer

- Suspension track: Core11+ M2 cover
- Senzafine HE M14 Lens UGR
 - Indirect lighting

CLIC

The adjustable F41 projector, with Ø41 mm, offers 355° rotation and up to 155° inclination, allowing its use in the track both from above and below in double emission tracks.

The heart of the design is the multifunction button that unlocks the arm for rotation beyond 90°, ensuring smooth and repeatable movement while guaranteeing a compact and harmonious aesthetic form; all in one CLIC.

F41

EASY SWITCH IN A CLIC



OPTICS:

Lens 18° / 24° / 36°

CCT:


2700K / 3000K / 4000K

CRI:


≥90

Colours:

Black embossed / White embossed




The recessed optical group ensures high visual comfort in addition to interchangeable antiglare accessories cross or honeycomb.



OVERVIEW

The CLIC range is the family for accent lighting with an essential design and high-level lighting performance. CLIC maintains the same lighting quality, elegantly adapting to every design need, from the precision of the spot to the versatility of the pendant to the perfect integration with downlight tracks.

Thanks to the possibility of exchanging adapters, CLIC ensures optimal aesthetics in all track versions.



WARNING: Some combinations/compatibilities are not available



LIVING ROOM


- Ceiling track: Core11 + M6 cover
- CLIC Spot F41
 - CLIC Downlight D41

CORE 5 SYSTEM

OVERVIEW

CORE5 is the first A.A.G. Stucchi system developed on the CORE concept.

The main feature of CORE5 is the size of the track, only 10mm with a 5mm opening, which gives a touch of elegance in residential, retail, or any other context where the space for installation is limited and attention to detail is essential. This feature also allows for integrated installation in shelves or wooden furniture, thus expanding its possibilities of use.



1 circuit: +/- 5A/60V dc



CORE 5

Lengths:
500mm
1000mm
2000mm
3000mm

CORE5 + FILM

Lengths:
500mm
1000mm
2000mm

CORE5 + COVER

Lengths:
500mm
1000mm
2000mm
3000mm

COVER


Length:
3000mm

LIGHT INSIDE CORE5

OVERVIEW

All the linear light suitable for use in CORE5 system for technical and aesthetic requirements. SENZAFINE M22 modules with a special adapter and a dedicated range of linear light developed with a specific design and characteristics perfectly suited to the size of this track.

The section also brings together all accent lighting compatible with the CORE5 system. This includes the CLIC range, designed to be 'multiplatform' thanks to the interchangeability of adapters, and the PUNTO range, which is specifically designed for this system given its very small dimensions and compact integration.



SENZAFINE

LINEAR LIGHT

M5

ALL INSIDE THE TRACK

OPTIC:

Opal

CCT:

2700K / 3000K / 4000K

CRI:

≥90

Colours:

Black anodized

M22

THE ENDLESS LIGHTLINE INSIDE TRACKS

OPTICS:

Opal / Microprismatic / UGR / Lens / Wall washer / Fumé

CCT:

2700K / 3000K / 4000K

CRI:

≥90 / ≥95

Colours:

Black embossed / White embossed

CLOAKROOM

Suspension track: Core5 + S7 cover
• SENZAFINE Flat M5

Trimless track: Core5 + S3 cover
• SENZAFINE Flat M5

PUNTO & CLIC

ACCENT LIGHT

F14

SMALL LIKE A PUNTO

OPTICS:

Lens 36°

CCT:

2700K / 3000K / 4000K

CRI:

≥90

Colours:

Black embossed

White embossed



Ø14mm

F41

EASY SWITCH IN A CLIC

OPTICS:

Lens 18° / 24° / 36°

CCT:

2700K / 3000K / 4000K

CRI:

≥90

Colours:


Black embossed

White embossed



Ø41mm

CORE5



BAR

- Ceiling track: Core5
- PUNTO Spot F14
 - PUNTO Pendant P14
 - SENZAFINE Flat M5

A.A.G. Stucchi s.r.l. u.s.

Via IV Novembre 30/32, Olginate (LC)

23854 - Italy

aagstucchi.it

info@aagstucchi.it